Contents of volume 39

NUMBER 1 JANUARY 2001

Accordion-optimized direct chemical shift correlations
C. E. HADDEN AND D. T. ANGWIN 1

ESR spin-trap study of the radicals present during the thermolysis of some novel dialkyl peroxides
P. G. MEKARBANE AND B. J. TABNER 9

New lanthanide–cholesteryl ester complexes: spectroscopic evidence of their non-mesogenic character
F. HAPIOT AND J. BOYAVAL 15

Multiple magnetic field ^{27}Al solid-state NMR study of the calcium aluminates $CaAl_4O_7$ and $CaAl_{12}O_{19}$
C. GERVAIS, K. J. D. MACKENZIE AND M. E. SMITH 23

NMR determination of site-specific deuterium distribution (SNIF-NMR) in squalene from different sources
M. DEIANA, F. P. CORONGIU, M. A. DESSI, P. SCANO, M. CASU AND A. LAI 29

Study of the structure of Triton X-100 micelles in polyacrylamide aqueous solution by 2D hetero-nuclear Overhauser enhancement spectroscopy
H.-Z. YUAN, X.-J. MIAO, S. ZHAO, L.-F. SHEN, J.-Y. UY AND Y.-R. DU 33

Notes
Long-range two-dimensional ^{1}H–^{29}Si heteronuclear shift correlation using gradients. Application to tetra-TMS-α-*O*-methyl-D-glucopyranose and tetra-TES-α-*O*-methyl-D-glucopyranose
S. PROVERA, S. DAVALLI, G. H. RAZA, S. CONTINI AND C. MARCHIORO 38

Complete assignment of ^{1}H and ^{13}C NMR spectra of vinflunine
J.-P. RIBET, P. ZALAVARI, J. FAHY, A. DUFLOS AND T. BELTRAN 43

Rapid Communication
Measurement of *J*(H,H) and long-range *J*(X,H) coupling constants in small molecules. Broadband XLOC and J-HMBC
A. MEISSNER AND O. W. SØRENSEN 49

Book reviews, 53; Papers in press, 55

NUMBER 2 FEBRUARY 2001

^{1}H and ^{13}C NMR study of regioregular head-to-tail oligo(octylthiophene)s and poly(octylthiophene)
J. BRAS AND B. PÉPIN-DONAT 57

^{207}Pb NMR chemical shifts of lead tetracarboxylates
J. E. H. BUSTON, T. D. W. CLARIDGE, S. J. HEYES, J. L. BRETHERTON, M. G. MOLONEY AND M. STEVENSON 68

Structural and conformational study of substituted triazines by ^{1}H and ^{13}C NMR analysis
M. AMM, N. PLATZER, J. P. BOUCHET AND J. P. VOLLAND 77

Electron spin resonance allied with spin traps to detect and identify atoms and radicals on Pd-supported catalyst surfaces in solution
A. BURT, M. EMERY, J. MAHER AND B. MILE 85

Theoretical studies of the equilibria between two enolic forms of asymmetric β-diketones
S. MOON AND Y. KWON 89

Note
Identification and complete spectral assignment for two 4α-methylsterols in an inseparable mixture, using 2D NMR
W. F. REYNOLDS, S. MCLEAN, H. T. D'ARMAS AND B. S. MOOTOO 94

Reference Data
Synthesis of N^4-(2-acetamido-2-deoxy-β-D-glucopyranosyl)-L-asparagine analogues. Complete NMR assignments of chloroacetamide, bromoacetamide and glycinamide analogues
J. J. MALIK AND J. M. RISLEY 98

NMR and IR spectroscopic study of mono-, bi- and tricyclic piperidone systems
V. VIJAYAKUMAR, M. SUNDARAVADIVELU AND S. PERUMAL 101

^{1}H and ^{13}C spectra assignment of 1,4,5,6,7,8-hexahydroquinolines and their oxa-analogues 5,6,7,8-tetrahydro-4*H*-chromenes
M. SUÁREZ, D. MOLERO, E. SALFRAN, N. MARTÍN, Y. VERDECIA, R. MARTINEZ, E. OCHOA, L. ALBA, M. QUINTEIRO AND C. SEOANE 105

Conformational analysis of the dinucleotides d(TpA, TpT, TpG and TpC) in different solvents
J. R. P. ARNOLD, J. M. BAKER, A. P. G. BEEVERS, M. ELLIOTT AND J. FISHER 109

^{13}C NMR of thia- or aza-substituted butyric acid derivatives
J. FRÖHLICH, F. SAUTER AND V. MILATA 113

NUMBER 3 MARCH 2001

^{13}C Chemical-shift tensors in an analogous series of heterosubstituted polycyclic aromatic compounds
D. H. BARICH, J. C. FACELLI, J. Z. HU, D. W. ALDERMAN, W. WANG, R. J. PUGMIRE AND D. M. GRANT 115

Fitting dynamic NMR lineshapes
A. D. BAIN, D. M. REX AND R. N. SMITH 122

***J*-IMPEACH-MBC: a new concatenated NMR experiment for F_1 scalable, *J*-resolved HMBC**
R. T. WILLIAMSON, B. L. MARQUEZ, W. H. GERWICK, G. E. MARTIN AND V. V. KRISHNAMURTHY 127

Self-reactivity of s-triazine and its radical cation: an electron/proton transfer process driven by ionizing radiation
C. J. RHODES AND H. A. MOYNIHAN 133

Optimizing HMQC for IS_n spin systems
B. XIANG, M. D. WINEMILLER, T. F. BRIGGS, D. J. FULLER AND D. B. COLLUM 137

^{1}H and ^{13}C NMR conformational study of *N*-substituted hexahydrocyclopent[*e*][1,3]-oxazin-4-ones and hexahydro-2*H*-1,3-benzoxazin-4-ones
R. A. SHAIKHUTDINOV, K. D. KLIKA, F. FÜLÖP AND K. PIHLAJA 141

Notes
Complete ^{1}H and ^{13}C NMR assignments of chamigrenes from *Aplysia dactilomela*
C. R. KAISER, L. F. PITOMBO AND A. C. PINTO 147

Complete assignments of the ^{1}H and ^{13}C NMR spectra of six highly functionalized neoclerodane diterpenoids
B. RODRÍGUEZ 150

Complete assignment of the ^{1}H and ^{13}C NMR spectra of the tetraisoprenylated benzophenone 15-epiclusianone
M. H. DOS SANTOS, T. J. NAGEM, R. BRAZ-FILHO, I. S. LULA AND N. L. SPEZIALI 155

NUMBER 4 APRIL 2001

Editorial: Starting a new section
H. GÜNTHER 161

Determination of the aqueous-phase structure of 6-*O*-methylerythromycin from NMR constraints
W. E. STEINMETZ, J. D. SADOWSKY, J. S. RICE, J. J. ROBERTS AND Y. K. BUI 163

Conformational study of the tricyclic sesquiterpene β-panasinsene aided by *ab initio* calculations and simulated ^{1}H NMR parameters
C. A. FLORES-SANDOVAL, C. M. CERDA-GARCÍA-ROJAS AND P. JOSEPH-NATHAN 173

Sequential resonance assignment from two-dimensional inter- and intra-residue ^{15}N–^{1}H correlation spectra
P. PERMI AND A. ANNILA 179

Electronic effects on ^{13}C NMR chemical shifts of substituted 1,3,4-thiadiazolium salts
A. C. SOUZA DOS SANTOS AND A. ECHEVARRIA 182

Complete multinuclear magnetic resonance analysis of heterophospholanes and their sulfur, selenium and borane adducts
J. PERALTA-CRUZ, V. I. BAKHMUTOV AND A. ARIZA-CASTOLO 187

Towards the automatic analysis of ^{1}H NMR spectra: Part 2. Accurate integrals and stoichiometry
L. GRIFFITHS 194

Accurate measurement of $^{1}J(^{195}Pt,^{14}N)$ in $K[Pt(NH_3)Cl_3]$ by complete lineshape analysis
E. S. GORE 203

Investigation of formation of superoxide anion radical in DMSO by ESR: Part 1. Influence of Fe^{2+} and Cu^{2+}
X. QIAO, S. CHEN, L. TAN, H. ZHENG, Y. DING AND Z. PING 207

Spectral Assignments and Reference Data
Synthesis and spectral study of (2*R*,11*R*)-2,11-bis{[(2-methoxyethoxy)methoxy]methyl}-1,10-dibenzyl-4,7,13,16-tetraoxa-1,10-diaza-cyclooctadecane
J.-P. JOLY, O. WALKER AND P. MUTZENHARDT 212

Cyclodimerization of α,β–α′,β′-unsaturated ketones promoted by samarium diiodide. Complete assignment of the ^{1}H and ^{13}C NMR spectra of hydroxycyclopentylpropenone derivatives
R. LE LAGADEC, M. I. CHÁVEZ, L. RUBIO AND A. CABRERA 215

Reassignment of NMR spectra and conformational study of the sesquiterpene lactone goyazensolide
K. S. PERRY, E. MIGUEZ, M. B. DE AMORIM, M. A. D. BOAVENTURA AND A. J. R. DA SILVA 219

^{1}H and ^{13}C NMR spectral assignments for 3,5-disubstituted tetrahydro-2*H*-1,3,5-thiadiazine-2-thione derivatives
D. MELERO, R. PÉREZ, R. MARTINEZ, M. SUÁREZ, H. RODRIGUEZ, N. MARTÍN AND C. SEOANE 222

^{1}H and ^{13}C chemical shifts for tetracycle-fused acridine analogues of amsacrine
M. ROBIN, J. P. GALY AND R. FAURE 225

Book review, 229

NUMBER 5 MAY 2001

Editorial: Color in MRC
H. GÜNTHER v

Clean adiabatic TOCSYs
Ē. KUPČE AND W. HILLER 231

Application of solid-phase extraction coupled to an NMR flow-probe in the analysis of HPLC fractions
N. T. NYBERG, H. BAUMANN AND L. KENNE 236

NMR applications for solid-phase synthesis: Part I. Suppression of residual polymer signals in 1D ^{1}H NMR spectroscopy of polymer-supported species
M. J. T. DITTY, H. N. HUNTER, R. M. E. MAINVILLE AND W. P. POWER 241

Improved method for pulse width calibration in indirectly detected experiments
G. ESPOSITO, L. NADALIN, G. VERDONE, A. CORAZZA, P. VIGLINO AND M. FEDRIGO 249

NMR and quantum-chemical study of stereochemistry of spiroepoxides obtained by oxidation of (*Z*)-3-arylidene-1-thioflavan-4-ones
G. TÓTH, J. KOVÁCS, A. LÉVAI, E. KLEINPETER AND A. KOCH 251

Determination of solution conformation of allergenically active pentasaccharitol obtained from sea squirt antigen
Y. KATO, M. OHTA, Y. MUNAKATA, M. FUJIWARA, N. FUJII, S. SHIGETA AND F. MATSUURA 259

NMR processing techniques based on multivariate data analysis and orthogonal signal correction. ^{13}C CP/MAS NMR spectroscopic characterization of softwood kraft pulp
J. B. HAUKSSON, U. EDLUND AND J. TRYGG 267

Pulsed-field gradient NMR study of sodium dodecyl sulfate micelle–peptide association
K. R. DEATON, E. A. FEYEN, H. J. NKULABI AND K. F. MORRIS 276

Notes

NMR studies of the conformational behaviour and tautomerism of bis- and tris-saccharido-guanidines
G. TÓTH, T. GÁTI, I. PINTÉR, J. KOVÁCS AND R. HAESSNER 283

Assignment of the ^{1}H and ^{13}C NMR spectra, sequence and conformation of the synthetic pentasaccharide SanOrg34006 and its precursors
J. BOOTSMA, G. WAGENAARS, E. DREEF, F. HOUT AND E. KELLENBACH 288

Crystal structure of and conformational equilibria in 1,1′-dihydroxybis(4*H*-cyclopenta[*def*]-phenanthrene) and related derivatives
M. HOANG, G. MLADENOVA, A. C. HOPKINSON, J. RAMNAUTH AND E. LEE-RUFF 294

Book reviews, 299

NUMBER 6 JUNE 2001

^{37}Cl/^{35}Cl and ^{13}C/^{12}C isotope effects on the fluorine shielding in several two-carbon chlorofluorocarbons
M. TORDEUX, C. WAKSELMAN, O. JARJAYES AND C. G. BÉGUIN 301

Gradient-enhanced 1D HMQC- and HSQC-relayed experiments with maximum sensitivity
T. PARELLA AND J. BELLOC 311

Principal component analysis in studies of substituent-induced chemical shifts of 1,4-disubstituted benzenes
E. L. CANTO, L. TASIC, R. E. BRUNS AND R. RITTNER 316

Unnaturally configured 13-*epi* steriods: full ^{1}H and ^{13}C assignments and ring C–D conformations from ^{1}H, ^{1}H vicinal couplings
L. FIELDING, Y. DIEPEVEEN, D. FLETCHER AND N. HAMILTON 323

Electronic structure of nitrogen–chlorine bonds in some compounds studied by NQR spectroscopy and DFT calculations
O. KH. POLESHCHUK, K. MAKIEJ, M. OSTAFIN AND B. NOGAJ 329

GIAO/DFT calculated chemical shifts of tautomeric species. 2-Phenacylpyridines and (Z)-2-(2-hydroxy-2-phenylvinyl)pyridines
B. OŚMIAŁOWSKI, E. KOLEHMAINEN AND R. GAWINECKI 334

Structural elucidation of bipyridine helicate complexes and their precursors by NMR spectroscopy
R. ANNUNZIATA, M. BENAGLIA, A. FAMULARI AND L. RAIMONDI 341

Translactonization of erythromycin A during oximation: mixture analysis and reaction monitoring by NMR
R. K. GROVER, B. S. JOSHI, S. BATRA, R. ROY AND A. P. BHADURI 355

Note
Oxazine- and oxazole-fused derivatives of the alkaloid boldine and their complete structural and spectral assignments by HMQC and HMBC experiments
E. SOBARZO-SÁNCHEZ, B. K. CASSELS, C. SAITZ- BARRÍA AND C. JULLIAN 361

Book review, 367

NUMBER 7 JULY 2001

Preferential solvation of a tetrapeptide by trifluoroethanol as studied by intermolecular NOE
M. D. DÍAZ AND S. BERGER 369

^{13}C CP/MAS NMR studies of flavonoids
I. WAWER AND A. ZIELINSKA 374

Note
NMR analysis of the trisaccharide 2′-fucosyllactose by heteronuclear *trans*-glycosidic coupling constants and molecular simulations
T. RUNDLÖF AND G. WIDMALM 381

Spectral Assignments and Reference Data
^{13}C NMR spectra of halocarbons
A. FORIS 386

Complete ^{1}H and ^{13}C NMR assignments of stigma-5-en-3-*O*-β-glucoside and its acetyl derivative
S. FAIZI, M. ALI, R. SALEEM, IRFANULLAH AND S. BIBI 399

Total assignment of the ^{1}H and ^{13}C NMR data of felodipine and its derivatives
J. JUNG, L. KIM, C. S. LEE, Y. H. CHO, S.-H. AHN AND Y. LIM 406

^{1}H and ^{13}C NMR study of 6-aryl-3-cinchopheny-1,2,4-triazolo[3,4-*b*]-1,3,4-thiadiazoles
X.-H. LIU, H. XU, Y.-O. FANG, Y.-X. CUI AND P.-F. XU 411

Assignment of ^{1}H and ^{13}C NMR data for (–)-methyl thyrsiflorin A and some scopadulan precursors
M. ARNÓ, M. A. GONZÁLEZ, M. L. MARÍN AND R. J. ZARAGOZÁ 414

Proton, carbon and nitrogen NMR spectroscopic characterization of some bi- and trihetaryl compounds
C. HAMETNER, G. HATTINGER, J. RÖHRLING, J. FRÖHLICH, P. STANETTY AND M. D. MIHOVILOVIC 417

NUMBER 8 AUGUST 2001

Proton chemical shifts in NMR: Part 17. Chemical shifts in alkenes and anisotropic and steric effects of the double bond
R. J. ABRAHAM, M. CANTON AND L. GRIFFITHS 421

Conformational analysis of *N*-arachidonylethanolamide (anandamide) using nuclear magnetic resonance and theoretical calculations
C. BONECHI, A. BRIZZI, V. BRIZZI, M. FRANCIOLI, A. DONATI AND C. ROSSI 432

Muonium atom addition to pyridine and to the pyridinium cation
C. J. RHODES, H. MORRIS AND I. D. REID 438

Silicon-29 NMR study of the formation of monomethoxysilicic acid in methanolic alkaline silicate solutions
A. SAMADI-MAYBODI, R. K. HARRIS, S. N. AZIZI AND A. M. KENWRIGHT 443

Fast measurement of heteronuclear relaxation: frequency-domain analysis of NMR accordion spectroscopy
P. RABIER, B. KIEFFER, P. KOEHL AND J.-F. LEFÈVRE 447

Ligand–macromolecule complexes: affinity index determination by selective nuclear relaxation analysis
C. ROSSI, C. BONECHI, S. MARTINI, M. RICCI, G. CORBINI, P. CORTI AND A. DONATI 457

^{17}O NMR studies on (*E*)-3-arylidenechromanone and -flavonone derivatives
G. TÓTH, A. SIMON, A. LÉVAI, H. KÄHLIG AND H. KALCHHAUSER 463

Unequivocal assignments of the fullerene carbons of diethyl 1,2-methanol[60]fullerene 61,61-dicarboxylate using 2D INADEQUATE NMR spectroscopy
G. A. BURLEY, P. A. KELLER, S. G. PYNE AND G. E. BALL 466

Special reactions of α,β-unsaturated ketones: Part II. Structure and stereochemistry of perhydro-5a,11a-epoxydibenz[*b*, *f*]oxepin-4a-ol, a bridged Diels–Alder dimer of 2-methylenecyclohexanone
E. GÖßNITZER AND W. WENDELIN 471

Structure and folding of glucagon-like peptide-1-(7-36)-amide in aqueous trifluoroethanol studied by NMR spectroscopy
X. CHANG, D. KELLER, S. BJØRN AND J. J. LED 477

Notes
Deuterium isotope effects on ^{13}C NMR chemical shifts of some α-(2-hydroxyaryl)-*N*-phenylnitrones (Schiff base *N*-oxides)
T. DZIEMBOWSKA, Z. ROZWADOWSKI, E. MAJEWSKI AND K. AMBROZIAK 484

^{1}H NMR isotope shifts arising from the substitution of ^{12}C by ^{13}C: application to polycyclic aromatic hydrocarbon anions
R. E. HOFFMAN, N. TREITEL AND M. RABINOVITZ 489

Book review, 495

NUMBER 9 SEPTEMBER 2001

SPECIAL ISSUE: NMR in Pharmaceutical Chemistry
GUEST EDITORS: G. E. MARTIN & D. J. DETLEFSEN

Guest Editorial: NMR in Pharmaceutical Chemistry
G. E. MARTIN AND D. J. DETLEFSEN 497

Editorial
H. GÜNTHER 498

Review
Survey of NMR experiments for the determination of ^{n}J(C,H)heteronuclear coupling constants in small molecules
B. L. MARQUEZ, W. H. GERWICK AND R. T. WILLIAMSON 499

Papers
Gradient-selected versus phase-cycled HMBC and HSQC: pros and cons
W. F. REYNOLDS AND R. G. ENRIQUEZ 531

An improved DEPT–HMQC sequence for high-throughput NMR analysis
T. SPITZER, A. M. SEFLER AND R. RUTKOWSKE 539

ACCORD-ADEQUATE: an improved technique for the acquisition of inverse-detected INADEQUATE data
R. T. WILLIAMSON, B. L. MARQUEZ, W. H. GERWICK AND F. E. KOEHN 544

Stereochemical and conformational studies on pharmaceutical compounds by NMR and molecular modelling
G. J. SHARMAN AND I. C. JONES 549

Applications of cryogenic NMR probe technology to long-range ^{1}H–^{15}N 2D NMR studies at natural abundance
R. C. CROUCH, W. LLANOS, K. G. MEHR, C. E. HADDEN, D. J. RUSSELL AND G. E. MARTIN 555

Detection of *in vivo* biomarkers of phospholipidosis using NMR-based metabonomic approaches
J. R. ESPINA, J. P. SHOCKCOR, W. J. HERRON, B. D. CAR, N. R. CONTEL, P. J. CIACCIO, J. C. LINDON, E. HOLMES AND J. K. NICHOLSON 559

NUMBER 10 OCTOBER 2001

Identification and structure determination of four triterpene saponins from some Middle-East plants
H. S. M. SOLIMAN, A. SIMON, G. TÓTH AND H. DUDDECK 567

Sequence-specific ^{13}C NMR assignments in a neurotoxin (candoxin) from *Bungarus candidus*
V. RANI PARVATHY, K. V. R. CHARY, R. MANJUNATHA KINI AND G. GOVIL 577

One-dimensional pulse technique for detection of quaternary carbons
G. A. NAGANA GOWDA 581

Structural changes in concentrated solutions of alkali metal monosubstituted benzophenone radical anions as deduced from ^{1}H NMR measurements
M. MICHA-SCRETTAS, G. A. HEROPOULOS AND B. R. STEELE 586

Saturated amine oxides: Part 4. Steric and electric field effects on the ^{17}O NMR chemical shifts of saturated six-membered azaheterocyclic amine oxides
F. POTMISCHIL, D. MAGIERA, H. DUDDECK AND J. BUDDRUS 593

Natural *J* coupling (NJC) analysis of the electron lone pair effect on NMR couplings: Part 1. The lone pair orientation effect of an α-nitrogen atom on ^{1}J(C,C) couplings
V. BARONE, J. E. PERALTA, R. H. CONTRERAS, A. V. SOSNIN AND L. B. KRIVDIN 600

Dynamic NMR: combined use of 1D selective EXSY and complete lineshape analysis of spectra subjected to reference deconvolution and linear prediction or the maximum entropy method
N. G. VASSILEV AND V. S. DIMITROV 607

High sensitivity of the fluorine NMR signals of difluorovinyl analogs of natural hemin: reconstituted heme proteins and self-exchange electron transfer in model compounds
C. POLIART, J.-F. BRIAND, F. TORTEVOIE, J. LEROY, G. SIMONNEAUX AND A. BONDON 615

Notes
Enantiomeric differentiation of terpenic olefins by carbon-13 NMR using chiral binuclear shifts reagents
N. BALDOVINI, F. TOMI AND J. CASANOVA 621

Structure elucidation of three new acetylated flavonoid glycosides from *Centaurium spicatum*
A. A. SHAHAT, S. APERS, S. VAN MIERT, M. CLAEYS, L. PIETERS AND A. VLIETINCK 625

Short Communication
Cycle time as a variable in homonuclear decoupling in solids: use of CRAMPS to determine minor constituent impurities in organic crystals to ⩽0.005%
B. C. GERSTEIN AND H. KIMURA 630

Spectral Assignments and Reference Data

Unambiguous signal assignments of ^{1}H and ^{13}C NMR spectra for chlorinated benzenes using $^{37}Cl/^{35}Cl$ isotope effects
K. MATSUBARA 633

NMR analysis of a series of photochromic pyranocarbazoles
M. M. OLIVEIRA, L. M. CARVALHO, C. MOUSTROU, A. SAMAT, R. GUGLIELMETTI AND A. M. F. OLIVEIRA-CAMPOS 637

Structure determination of daphjamilin, a new bicoumarin glycoside, by NMR spectroscopy
M. RIAZ AND A. MALIK 641

Substituent-induced ^{13}C chemical shifts of 3-substituted camphors
C. R. KAISER, E. A. BASSO AND R. RITTNER 643

A ^{1}H and ^{13}C NMR study of 4,8,9,10-tetraaryl-1,3-diazatricyclo[3.3.1.1^{3,7}]decan-6-ones
V. VIJAYAKUMAR, M. SUNDARAVADIVELU, S. PERUMAL AND A. LYCKA 645

Total assignment of ^{1}H and ^{13}C NMR spectra of 13α- and 13β-estrone methyl ethers
P. CIUFFREDA, P. FERRABOSCHI, E. VERZA AND A. MANZOCCHI 648

Diastereoselective synthesis and ^{1}H and ^{13}C NMR study of 4-acetyl-2,6-diaroyl-3,5-diaryl-4-ethoxycarbonylthiane-1,1-dioxides
S. RENUGA, S. SELVARAJ, S. PERUMAL, A. LYCKA AND M. GNANADEEBAM 651

Letters to the Editor

Comment on 'Evidence for the solvation of hydrogen atoms by water'
E. RODUNER, P. W. PERCIVAL AND D. M. BARTELS 654

Reply to the comment on 'Evidence for the solvation of hydrogen atoms by water'
M. R. C. SYMONS, C. J. RHODES AND I. D. REID 655

Book review, 656

NUMBER 11 NOVEMBER 2001

^{1}H, ^{13}C, and ^{17}O NMR spectral studies on monocyclic dioxolanes, dioxanes, dioxepanes and dioxocanes and cycloalkane-fused (5–8-membered) bicyclic 1,3-dioxolanes and 1,3-dioxanes
K. PIHLAJA, H. NUMMELIN, K. D. KLIKA AND J. CZOMBOS 657

Extraction of T_2 from NMR linewidths in simple spin systems by use of reference deconvolution
G. MLADENOV AND V. S. DIMITROV 672

Dipole-stabilized carbanions in series of cyclic aldonitrones: Part 4. ^{13}C, ^{14}N and ^{7}Li NMR spectra of dipole-stabilized organolithiums derived from a cyclic aldonitrone
M. A. VOINOV, G. E. SALNIKOV, A. M. GENAEV, V. I. MAMATYUK, M. M. SHAKIROV AND I. A. GRIGOR'EV 681

Dependence of the long-range phosphorus–hydrogen coupling constant $^{n}J_{P-H}$ (n = 3, 6, 7) on the bond order between phosphorus and its substituents: preparation and spectroscopic characterization of several phosphoramidates
K. GHOLIVAND, S. GHADIMI, H. NADERIMANESH AND A. FOROUZANFAR 684

Quantitative ^{13}C NMR method using the DEPT pulse sequence for the determination of geographical origin (DOP) of olive oils
G. VLAHOV, C. SCHIAVONE AND N. SIMONE 689

NMR and theoretical conformational studies of the anticholinergic physostigmine
N. F. SANTOS-SÁNCHEZ, M. S. MORALES-RÍOS AND P. JOSEPH-NATHAN 696

Determination of the absolute stereochemistry of vitamin E derived oxa-spiro compounds by NMR spectroscopy
H. SCHRÖDER AND T. NETSCHER 701

Synthesis and multinuclear magnetic resonance investigation of some 1,3-selenazole and 1,3-selenazoline derivatives
H. DUDDECK, R. BRADENAHL, L. STEFANIAK, J. JAZWINSKI AND B. KAMIENSKI 709

Propeller rotation of aryl groups in triarylsilanes and triarylstannanes
J. B. LAMBERT AND L. LIN 714

Notes
Structural and ^{1}H and ^{13}C NMR analysis of two new glabretal triterpenoid derivatives from *Guarea jamaicensis*
W. W. HARDING, H. JACOBS, S. MCLEAN AND W. F. REYNOLDS 719

Determination of paramagnetic lanthanide(III) concentrations from bulk magnetic susceptibility shifts in NMR spectra
D. M. CORSI, C. PLATAS-IGLESIAS, H. VAN BEKKUM AND J. A. PETERS 723

Enantiomeric analysis of (3*S*,4*R*)-4-(4-fluorophenyl)-3-hydroxymethyl-1-methylpiperidine by ^{19}F NMR spectroscopy
H. NAVRÁTILOVÁ 727

Book review, 731

NUMBER 12 DECEMBER 2001

Investigation of seeds with high-resolution solid-state ^{13}C NMR
M. BARDET, M. F. FORAY, J. BOURGUIGNON AND P. KRAJEWSKI 733

The 2-imino-1,3-selenazolidine group bonded to phosphorus and silicon: a multinuclear magnetic resonance study
E. V. BAKHMUTOVA, A. CRUZ, R. RAMIREZ-TREJO, R. CONTRERAS AND B. WRACKMEYER 739

Note
Total assignment of ^{1}H and ^{13}C NMR spectra of two 3,4-secofriedelanes from *Austroplenckia populnea*
S. A. VIEIRA FILHO, L. P. DUARTE, G. D. F. SILVA, I. S. LULA AND M. H. DOS SANTOS 746

Spectral Assignments and Reference Data
Complete ^{1}H and ^{13}C resonance assignments of glycosidic conjugates of non-amidated and amidated bile acids
T. IIDA, Y. KASUGA, M. ARAKAWA, K. MUSHIAKE, S. IKEGAWA, J. GOTO AND T. NAMBARA 749

Identification and complete ^{1}H and ^{13}C spectral assignments for the triterpene fern-9(11)-en-28-oic acid
W. F. REYNOLDS, S. MCLEAN, S. J. BURKE AND H. JACOBS 757

Complete analysis of the ^{1}H NMR spectra of bicyclo[3.2.0]hept-2-en-6-one and the 7,7-dimethyl, 7,7-dichloro and 7-*endo*-chloro derivatives
R. J. ABRAHAM, G. R. BEDFORD, M. CANTON AND P. LEONARD 759

^{1}H and ^{13}C NMR structure determination of new sesquiterpene glycosides isolated from *Pittosporum viridiflorum viridiflorum*
V. RAMANANDRAIBE, M. RAKOTOVAO, F. FRAPPIER AND M.-T. MARTIN 762

^{1}H and ^{13}C NMR asssignments of 2-oxo-2*H*-1-benzopyran-3-acyl and -3-amide derivatives
F. J. MARTÍNEZ-MARTÍNEZ, I. I. PADILLA-MARTÍNEZ AND J. TRUJILLO-FERRARA 765

Complete assignment of the ^{1}H and ^{13}C NMR spectra of resveratrol derivatives
D. KOH, K. H. PARK, J. JUNG, H. YANG, K. H. MOK AND Y. LIM 768

Structure of a new isobenzofuranone derivative from *Nigella sativa* Linn
B. S. JOSHI, K. L. SINGH AND R. ROY 771

Short Communication
Temperature calibration of a high-resolution magic-angle spinning NMR probe for analysis of tissue samples
A. W. NICHOLLS AND R. J. MORTISHIRE-SMITH 773

Book review, 777; Announcements, 778; Volume author index, 779; Volume subject index, 783; Volume contents, i

SPECIAL ISSUE DECEMBER 2001

SPECIAL ISSUE: NMR Spectroscopy of Hydrogen-Bonded Systems
GUEST EDITOR: H.-H. Limbach

Guest Editorial: NMR spectroscopy of hydrogen-bonded systems
H.-H. LIMBACH S1

Editorial
H. GÜNTHER S3

A: Structure and Dynamics of Hydrogen-Bonded Solids

Investigation of an N···H hydrogen bond in a solid benzoxazine dimer by ^{1}H–^{15}N NMR correlation techniques under fast magic-angle spinning
G. R. GOWARD, I. SCHNELL, S. P. BROWN, H. W. SPIESS, H.-D. KIM AND H. ISHIDA S5

$^{1}H/^{15}N$ NMR chemical shielding, dipolar $^{15}N,^{2}H$ coupling and hydrogen bond geometry correlations in a novel series of hydrogen-bonded acid–base complexes of collidine with carboxylic acids
P. LORENTE, I. G. SHENDEROVICH, N. S. GOLUBEV, G. S. DENISOV, G. BUNTKOWSKY AND H.-H. LIMBACH S18

N–H bond stretching in histidine complexes: a solid-state NMR study
X.-j. SONG, C. M. RIENSTRA AND A. E. McDERMOTT S30

Proton transfer dynamics and N–H bond lengthening in N–H···N model systems: a solid-state NMR study
X.-j. SONG AND A. E. McDERMOTT S37

An indication of slowing down of hydrogen atom transfer in isotopically mixed hydrogen bonds of benzoic acid crystals
S. TAKEDA AND A. TSUZUMITANI S44

Mechanism of proton conductivity in quasi-one-dimensional hydrogen-bonded crystals
J. TOTZ, D. MICHEL, YU. N. IVANOV, A. A. SUKHOVSKY, I. P. ALEKSANDROVA AND J. PETERSSEN S50

B: Structure and Dynamics of Systems with Single Hydrogen Bonds in the Liquid State

NMR properties (chemical shift and relaxation rate) of acceptor and hydrogen bridge nuclei in hydrogen-bonded complexes
A. BAGNO, E. MENNA, G. SCORRANO AND S. ZERBINATI S59

NMR study of proton transfer equilibrium in Schiff bases derived from 2-hydroxy-1-naphthaldehyde and 1-hydroxy-2-acetonaphthone. Deuterium isotope effects on ^{13}C and ^{15}N chemical shifts
T. DZIEMBOWSKA, Z. ROZWADOWSKI, A. FILAROWSKI AND P. E. HANSEN S67

Dimerization and solvent-assisted proton dislocation in the low-barrier hydrogen bond of a Mannich base: a low-temperature NMR study
M. ROSPENK, L. SOBCZYK, P. SCHAH-MOHAMMEDI, H.-H. LIMBACH, N. S. GOLUBEV AND S. M. MELIKOVA S81

Influence of the temperature-dependent dielectric constant on the H/D isotope effects on the NMR chemical shifts and the hydrogen bond geometry of the collidine–HF complex in $CDF_3/CDClF_2$ solution
I. G. SHENDEROVICH, A. P. BURTSEV, G. S. DENISOV, N. S. GOLUBEV AND H.-H. LIMBACH S91

Scalar coupling constants across the intramolecular NHN hydrogen bond of symmetrically and non-symmetrically substituted 6-aminofulvene-1-aldimines
M. PIETRZAK, H.-H. LIMBACH, M. PÉREZ-TORRALBA, D. SANZ, R. M. CLARAMUNT AND J. ELGUERO **S100**

$^{15}N,^{15}N$ Spin–spin coupling constants across N–H–N and N–H^+–N hydrogen bonds: can coupling constants provide reliable estimates of N–N distances in biomolecules?
J. E. DEL BENE, S. A. PERERA AND R. J. BARTLETT **S109**

Density functional theory studies of transannular ^1H–^1H *J*-coupling in half-cage alcohols and rigid 1,3- and 1,4-diols: conformational dependencies and implications for intramolecular hydrogen bond detection in carbohydrates
M. BARFIELD, J. M. BERGSET AND D. J. O'LEARY **S115**

C: Hydrogen Bonding in Molecular Liquids and Mesoporous Systems

Correlations between structural, NMR and IR spectroscopic properties of *N*-methylacetamide
M. HUELSEKOPF AND R. LUDWIG **S127**

Reorientational dynamics, hydrogen bonding and hydrophilicity of X-ray contrast agents in solution
M. VAN DE BRUCK, A. DÖLLE, G. MICHL AND B. RADÜCHEL **S135**

DOSY studies of hydrogen bond association: tetramethylsilane as a reference compound for diffusion studies
E. J. CABRITA AND S. BERGER **S142**

Stray field gradient NMR reveals effects of hydrogen bonding on diffusion coefficients of pyridine in mesoporous silica
E. GEDAT, A. SCHREIBER, G. H. FINDENEGG, I. SHENDEROVICH, H.-H. LIMBACH AND G. BUNTKOWSKY **S149**

D: Hydrogen Bonds in Biomolecules

Developing model systems for the NMR study of substituent effects on the N–H···N hydrogen bond in duplex DNA
R. ISHIKAWA, C. KOJIMA, A. ONO AND M. KAINOSHO **S159**

Applications of ^1H_a–^1H_d correlated ^{2h}J(N,N) spectroscopy for identifying H_a–C–Na···H_d–N_d hydrogen bonds in nucleic acids
A. MAJUMDAR **S166**

Investigation of the energetics of C–H···O hydrogen bonds in the DNA i-motif *via* the equilibrium between alternative intercalation topologies
J.-L. LEROY, K. SNOUSSI AND M. GUÉRON **S171**

Hydrogen bonding in complexes of adenosine and 4-thiouridine: a low-temperature NMR study
E. M. BASILIO JANKE, A. DUNGER, H.-H. LIMBACH AND K. WEISZ **S177**

A correlated *ab initio* study of Karplus relations for model peptides
S. A. PERERA AND R. J. BARTLETT **S183**

Review: Strong hydrogen bonding in molecules and enzymatic complexes
P. A. FREY **S190**

Review: Contributions of NMR spectroscopy to the study of hydrogen bonds in serine protease active sites
W. W. BACHOVCHIN **S199**